1 CIVIC GOVERNMENT (SCOTLAND) ACT 1982 – SECTION 87(1) (AN 69-2002) BUILDINGS IN NEED OF REPAIR

The Director of Environmental and Consumer Protection reports that notices have been served on the owners of the undernoted properties requiring works to be carried out.

- (i) <u>12 Baxter Park Terrrace, Dundee</u> repair defective manhole and cover at entrance to common close
- G/1 Kenneth Marshall
- G/2 Ronald McKenzie, c/o McKenzie & Co, 29 Exchange Street, Dundee
- 1/1 Miss Hazel Gaul
- 1/2 Mr & Mrs C J Grinyer, per J & E Shepherd, 13 Albert Square, Dundee
- 2/1 Bruce Spence
- 2/2 Kevin Ogg, c/o Hewson
- 3/1 Daljit Athwall, per Mcdonald Garvie, 31 Reform Street, Dundee
- 3/2 George & Mrs Lorraine Montgomery
- (ii) <u>76 Clepington Road, Dundee</u> rear east most rainwater downpipe/sink waste pipe disconnected, broken and choked
- G/1 & 3/2 Mr & Mrs M Matthew, Quarry Cottage, Inchture, Perthshire, PH14 9RN
- G/2 Mrs G Cabrelli, per Mr K Soper, Campbell, Boath & Co, Solicitors & Estate Agents 1 Stirling Street, Dundee, DD3 6PJ
- 1/1 Mohammed Naseem, 47 Wemyss Crescent, Monifieth, Angus, DD5 4RA
- 1/2 Isabel Malcolm
- 2/1 Rev. Thomas Milroy, 9 Long Row, Westhaven, Angus, DD7 6BE
- 2/2 David Hackett
- 3/1 Mr D Wynne
- (iii) 341/343 Clepington Road, Dundee cracked and leaking sink waste pipe at rear, and rear rones
- (iv) 341 Clepington Road
- G/2 Mrs Aylwin Newman
- G/3 Mr & Mrs H Oldershaw, 8 St Mungo Terrace, Dundee, DD3 9NE
- 1/1 Miss Lee Paterson
- 1/2 Callum Wilson
- 1/3 Leanne McKenzie
- 2/1 Henry Thomson
- 2/2 Grant Couper
- 2/3 N Scobie & Elizabeth Findlay
- 3/1 Christine Boyle
- 3/2 Anne Will
- 3/3 Peter Don
- (v) 343 Clepington Road

Mr K Aboobaker, trading as Fairmuir Post Office

- (vi) 49 Kinghorne Road soil waste pipe at rear defective
- G/1 Mr John Barufatti, Pitkerro House, Broughty Ferry, Dundee
- 2/1 Mrs S Khan, 16 Jacobson Terrace, Dundee DD3 9TD
- 3/1 Mrs H Ahsan, per Balgay Properties, 8 Westport, Dundee DD1 5EP

The Committee is asked to authorise the Director to carry out the works should the owners not comply within the time allowed in the Notices.